

Day 3: 0930 – 1530

ANESTHESIA CASE STUDIES & SIMULATIONS

TIME	TOPIC
\$- '\$!'%	

%&\$\$!'%&' \$	@ B 7 < '6F95?
%&' \$!'%' \$	DUh\`cZcl m[Ybžhfci VYg\cch]b[`ZU `hmYei]da Ybž`YU_ hYgq`UbX`YU_`Zck `fUH`Vta dYbgU]cb
%(` \$!'%)' \$	8 YVf]YZ]b[`gYgg]cb`UbX`]bZc`cb`bYI hXUm

Day 2: 0930 – 1530

INDUCTION, ANESTHETIC MONITORING & EQUIPMENT, AND TROUBLESHOOTING

TIME	TOPIC
\$- '\$!'\$\$\$\$	7 \YW_`]bžei Ygh]cbgž`Ž# `fYj]Yk
%\$\$\$\$!'%\$\$\$\$	8]gW]gg]cb`UbX`UM]j]]hm`GhYdg`hc`U`gUZ`]bXi`V]cb`
%&\$\$!'%&\$\$	5 bYgh\Yh]Wa`cb]hc]f]b[`UbX`hfci VYg\cch]b[`UM]j]]hm`UbX`fci`bX`hUV`Y`X]gW]gg]cbg
%&\$\$!'%&' \$	@ B 7 <
%&' \$!'%' \$	5 bYgh\Yh]Wa`cb]hc]f]b[`UbX`hfci VYg\cch]b[`[fci`d`W]gY`gri`X]Yg
% '\$!'%' \$	7 Udbc[fUb\mUbX`97; `g`W]gY`gri`X]Yg`UbX`fci`bX`hUV`Y`X]gW]gg]cb
%(` \$!'%)' \$	8 YVf]YZ]b[`gYgg]cb`UbX`]bZc`cb`bYI hXUm